

innovative, reliable, adaptive






an

Efficient

concept



1 - AIR INLET

2 - PREFILTERING

3 - DRYING

4 - HEPA 14 FILTER

5 - LAMINAR AIR FLOW

6 - OVERPRESSURE

A high-level security for your endoscopes

INNOVATIVE AIR FLOW SYSTEM

The patented system of laminar air flow filtered with 3 filters protects your endoscopes from any contamination. The overpressure constantly maintained in the cabinet prevents any entry of airborne micro-organisms.

The high rate of air renewal eliminates all traces of humidity and accelerates endoscope drying.

SERVICE WORKFLOW OPTIMIZATION

Your endoscopes are ready-to-use at any time. The automatic carousel provides direct access to the endoscopes. It reduces handling manipulations and eliminates identification faults.

Each endoscope is plugged to the cabinet with a dedicated connector that can be easily reprocessed in *Soluscope AERs* to increase your productivity in total safety.

_a Scalable



Designed for evolving needs

FLEXIBLE AND MODULAR

The AS300 allows vertical storage for 10 endoscopes validated from 72 hours up to 7 days. An optional compartment can be simply integrated to extend the AS300 capacity to 20 endoscopes.

For enhanced safety of your endoscopes, accessories are available to prevent endoscope tangling and to hold ultrasound connectors. Individual compartments for endoscope valves are provided to secure their storage.

A COMPLETE TRACEABILITY

The embedded traceability system includes barcode or RFID reader and printer.

Traceability tickets are printed out and securely stored on the AS300 memory card.

The Ethernet port enables connection to the healthcare facility network and is compliant with the *IT Soluscope* data management system (optional).

drying and storage cabinet for endoscopes



A solid and effortless device

DESIGNED FOR MEDICAL USE

The AS300 offers a user friendly touch screen interface with a colour code as a decision-making aid.

A spherical shape with smooth surfaces and a wide door opening facilitate cleaning.

A ROBUST MACHINE

The AS300 is a cast solid stainless steel cabinet and offers a high level of finishing.

The quality of cabinet components guarantees a minimal maintenance facilitated by an easy and secure access to technical compartments.

A complete solution to optimize your organization

TRANSPORT

Soluscope Trolley is designed to dispatch endoscopes from treatment to examination room.

The specific tray equipped with a transparent lid safely stores the endoscope during its transportation.

Soluscope Trolley facilitates your daily routine in a secure manner.

STORAGE

Soluscope Rack can store up to 10 trays in a reduced space.

SERVICES

After-sales service, package and training are designed to get the best of your device.

TECHNICAL SPECIFICATIONS		
Validated storage time	72 hours up to 7 days	
Air supply	Compressor or connection to medical air	
Air treatment exterior endoscope surface	3 filters including a HEPA filter H14 Drying by free resistance	
Air treatment in the channels	HEPA Filter (compressor version) or medical air	
Traceability	Barcode reader - Printer - Removable memory card - RFID Reader (option) - IT Soluscope (option) *	
Connector treatment	Soluscope AER disinfection or sterilisation (autoclave)	
Version	Single compartment	Double compartment
Capacity	10 endoscopes	20 endoscopes
Dimensions (W x D x H)	107 x 70 x 235 cm	184 x 70 x 235 cm
Weight	300 kg	450 kg

* coming soon











High Level Disinfection

SOLUSCOPE COMPLETE SOLUTION

Soluscope proposes a complete solution for flexible endoscope reprocessing. It offers products for every step of the reprocessing cycle.

Each part is certified, easy to use and effective in order to reduce your daily load.



www.soluscope.com

Soluscope SAS: 100, rue du Fauge - Z.I. Les Paluds - 13400 Aubagne - France

Soluscope products are compliant with European and international norms, and are CE marked. ISO 9001 version 2008 and ISO 13485 version 2003 certified, Soluscope is continuously committed to satisfying its clients rigorous demands.



